


Message

---

**From:** Atagi, Tracy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=EBCFD670077440DFB63A691749F20AF2-TATAGI]  
**Sent:** 5/3/2017 6:55:02 PM  
**To:** Behan, Frank [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=b37b3a6d67644ad3bf5717d99610941e-FBEHAN]  
**Subject:** Fw: Letter to EPA HQ regarding DSW Variance for TDUs  
**Attachments:** DSW\_variance\_for\_TDUs\_EPA-HQ\_2017.pdf

---

**From:** Spalding, Susan  
**Sent:** Thursday, April 27, 2017 9:42 AM  
**To:** Elliott, Ross; Atagi, Tracy  
**Cc:** Fruitwala, Kishor  
**Subject:** FW: Letter to EPA HQ regarding DSW Variance for TDUs



Susan Spalding, Associate Director  
Hazardous Waste Branch  
EPA Region 6  
(214) 665-8022

-----Original Message-----

**From:** Fruitwala, Kishor  
**Sent:** Thursday, April 27, 2017 6:51 AM  
**To:** Spalding, Susan <Spalding.Susan@epa.gov>; Shah, Harry <Shah.Harry@epa.gov>; Peace, Michelle <Peace.Michelle@epa.gov>; Jones, Bruuced <Jones.Bruuced@epa.gov>  
**Subject:** FW: Letter to EPA HQ regarding DSW Variance for TDUs

-----Original Message-----

**From:** Carl Palmer [mailto:cpalmer@tdxassociates.com]  
**Sent:** Wednesday, April 26, 2017 2:40 PM  
**To:** Tidmore, Guy <tidmore.guy@epa.gov>; Pearson, Evan <Pearson.Evan@epa.gov>; Fruitwala, Kishor <Fruitwala.Kishor@epa.gov>; Luschek, Robert <Luschek.Robert@epa.gov>; Potts, Mark <Potts.Mark@epa.gov>  
**Subject:** Letter to EPA HQ regarding DSW Variance for TDUs

EPA Region 6 Staff,

I wanted you all to have a copy of the attached letter. This letter was sent to EPA HQ today. It seeks clarification on EPA's position regarding granting HSM Verified Recycler variances under the new DSW standards for a thermal desorption unit that combusts the vented gases as part of the "recycling" activity.

Carl

Carl R. Palmer, P.E.  
TD\*X Associates LP  
(919) 349-1583 mobile

ED\_002099\_0001038-00001